



**OC-904 Dipswitch Settings Chart**

Dipswitch Settings	OFF	ON
1. Safety Output	N. O.	N. C.
2. Stall Output	N. O.	N. C.
3. Auto/K.A.	Automatic	Knowing Act
4. Future Use		
<b>Fully Automatic</b>		<b>Knowing Act</b>
1. OFF		1. OFF
2. OFF		2. OFF
3. OFF		3. ON
4. OFF		4. OFF

NABCO PART # 10-3528  
THREE POSITION SWITCH



**NOTE:**  
For Knowing Act applications all activating devices must connect to the purple wires of the OC-904 controls (N.O. dry contact only).

- INSTALLATION NOTES**
1. Set door speeds and verify proper door operation prior to final connections of sensors system.
  2. Technician MUST WALK TEST to verify function and detection patterns comply with ANSI/BHMA A156.10 requirements.

<b>Title:</b> GYROTECH/NABCO MAGNUM IV SINGLE With ELITE	<b>Drawing #</b> 01NABMAGELI01 Rev 1
<b>Drawing By:</b> SDR	<b>Date:</b> 01/20/08
<b>Sheet:</b> 1 of 1	
<b>Optex Technologies Inc.</b> 3882 Del Amo Blvd., Suite 604, Torrance, CA 90503 Office: (800)877-6656, Fax: (310)214-8655	